

The Heritage

The Heritage is a column design that was developed to complement the existing columns in a suburb of Perth, Western Australia. After supplying several hundred for a project it was decided to add this column to our standard range. The Heritage is an off-spin of the successful Bordeaux range with an increase in base diameter and a double step down to give this column added character.

Available in both in-ground and base plate mounted and mounting heights of 3.5m, 4.5m and 6m. Other mounting heights can be accommodated if required as well as minor design changes to make the column more unique to a particular development.


They can be supplied with pipe curved or gooseneck single or double outreaches for different types of luminaires as well as a double head frame to take twin coach lamps pictured right. The Heritage columns are supplied powder coated in a wide selection of standard colours or a galvanised finish if required.

For more information on The Heritage contact our sales team or come in and have a look at our lighting column display area.




The Heritage


The standard Heritage has a 60mm diameter shaft and is suitable for a direct post top light fitting or can be adapted for any sort of outreach configuration of which some of our standard attachments are shown below.




Left is the Avenue Bracket and right, the Nostalgia.



Double and single Gooseneck brackets are also another common choice to mount on the Heritage.



Our standard double head frame for twin Coach style lanterns for the Heritage column.



The Heritage showing Base Plate mount and In-Ground mount





A.D. COOTE & CO.

THE METAL SPECIALISTS

The Heritage

Below are tables displaying our standard range of Heritage Columns identified with the code on the left side of the chart (identified HERT = heritage, 030 = height in metres and B or G for base plate or in ground mount).

Code	Height metres	Spigot Size	Door Width	Door Height	Rag bolts
HERT030B	3	60	150	350	R350244
HERT035B	3.5	60	150	350	R350244
HERT040B	4	60	150	350	R350244
HERT045B	4.5	60	150	350	R350244
HERT050B	5	60	150	350	R350244
HERT055B	5.5	60	150	350	R350244
HERT060B	6	60	150	350	R350244
HERT065B	6.5	76	150	350	R350244
HERT070B	7	76	150	350	R350244
HERT075B	7.5	76	150	350	R350244
HERT080B	8	76	150	350	R350244

Code	Height metres	Spigot Size	Door Width	Door Height	Burial Depth
HERT030G	3	60	150	350	1.5 M
HERT035G	3.5	60	150	350	1.5 M
HERT040G	4	60	150	350	1.5 M
HERT045G	4.5	60	150	350	1.5 M
HERT050G	5	60	150	350	1.5 M
HERT055G	5.5	60	150	350	1.5 M
HERT060G	6	60	150	350	1.5 M
HERT065G	6.5	76	150	350	1.5 M
HERT070G	7	76	150	350	1.5 M
HERT075G	7.5	76	150	350	1.5 M
HERT080G	8	76	150	350	1.5 M

Uncontrolled Document



t. (61) 8 9361 7666 | e. info@adcoote.com.au

w. adcoote.com.au | abn. 36 008 711 466

51-57 Welshpool Rd, WELSHPOOL, WA 6106

Page 3 of 3

